Connecting via Winsock to STN

Welcome to STN International! Enter x:X

LOGINID:ssptasel1626

PASSWORD:
TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * * * * * * Welcome to STN International * * * * * * * * * *

NEWS 1		Web Page for STN Seminar Schedule - N. America
NEWS 2	JAN 12	Match STN Content and Features to Your Information Needs, Quickly and Conveniently
NEWS 3	JAN 25	Annual Reload of MEDLINE database
NEWS 4	FEB 16	STN Express Maintenance Release, Version 8.4.2, Is Now Available for Download
NEWS 5	FEB 16	Derwent World Patents Index (DWPI) Revises Indexing of Author Abstracts
NEWS 6	FEB 16	New FASTA Display Formats Added to USGENE and PCTGEN
NEWS 7	FEB 16	INPADOCDB and INPAFAMDB Enriched with New Content and Features
NEWS 8	FEB 16	INSPEC Adding Its Own IPC codes and Author's E-mail Addresses
NEWS 9	APR 02	CAS Registry Number Crossover Limits Increased to 500,000 in Key STN Databases
NEWS 10	APR 02	PATDPAFULL: Application and priority number formats enhanced
NEWS 11	APR 02	DWPI: New display format ALLSTR available
NEWS 12	APR 02	New Thesaurus Added to Derwent Databases for Smooth Sailing through U.S. Patent Codes
NEWS 13	APR 02	EMBASE Adds Unique Records from MEDLINE, Expanding Coverage back to 1948
NEWS 14	APR 07	CA/CAplus CLASS Display Streamlined with Removal of Pre-IPC 8 Data Fields
NEWS 15	APR 07	50,000 World Traditional Medicine (WTM) Patents Now Available in CAplus
NEWS 16	APR 07	MEDLINE Coverage Is Extended Back to 1947

NEWS EXPRESS FEBRUARY 15 10 CURRENT WINDOWS VERSION IS V8.4.2,
AND CURRENT DISCOVER FILE IS DATED 15 JANUARY 2010.

NEWS HOURS STN Operating Hours Plus Help Desk Availability
NEWS LOGIN Welcome Banner and News Items

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN customer agreement. This agreement limits use to scientific research. Use for software development or design, implementation of commercial gateways, or use of CAS and STN data in the building of commercial products is prohibited and may result in loss of user privileges and other penalties.

* * * * * * * * * * * * * * * * STN Columbus * * * * * * * * * * * * * * * * *

FILE 'HOME' ENTERED AT 10:14:39 ON 19 MAY 2010

=> fil reg
COST IN U.S. DOLLARS | SINCE FILE ENTRY | TOTAL SESSION
FULL ESTIMATED COST | 0.22 | 0.22

FILE 'REGISTRY' ENTERED AT 10:14:56 ON 19 MAY 2010
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2010 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file
provided by InfoChem.

STRUCTURE FILE UPDATES: 18 MAY 2010 HIGHEST RN 1224564-83-3
DICTIONARY FILE UPDATES: 18 MAY 2010 HIGHEST RN 1224564-83-3

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH January 8, 2010.

Please note that search-term pricing does apply when
conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and
predicted properties as well as tags indicating availability of
experimental property data in the original document. For information
on property searching in REGISTRY, refer to:

http://www.cas.org/support/stngen/stndoc/properties.html

=>
Uploading C:\Program Files\STNEXP\Queries\10586958c.str



chain nodes :
10 11 12 13 14 15
ring nodes :
1 2 3 4 5 6 7 8 9
chain bonds :
3-13 7-10 10-11 11-12 13-14 14-15
ring bonds :
1-2 1-6 2-3 3-4 4-5 5-6 5-7 6-9 7-8 8-9
exact/norm bonds :
1-2 1-6 2-3 3-4 4-5 5-6 5-7 6-9 7-8 8-9 11-12
exact bonds :
3-13 7-10 10-11 13-14 14-15

```
Match level :
1:Atom  2:Atom  3:Atom  4:Atom  5:Atom  6:Atom  7:Atom  8:Atom  9:Atom  10:CLASS
11:CLASS  12:CLASS  13:CLASS  14:CLASS  15:CLASS



L1      STRUCTURE UPLOADED

=> d
L1 HAS NO ANSWERS
L1              STR
```




```
Structure attributes must be viewed using STN Express query preparation.


=> s l1
SAMPLE SEARCH INITIATED 10:15:15 FILE 'REGISTRY'
SAMPLE SCREEN SEARCH COMPLETED -        7 TO ITERATE

100.0% PROCESSED        7 ITERATIONS                                 1 ANSWERS
SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS:  ONLINE   **COMPLETE**
                        BATCH    **COMPLETE**
PROJECTED ITERATIONS:             7 TO      298
PROJECTED ANSWERS:                1 TO       80

L2            1 SEA SSS SAM L1

=> s l1 ful
FULL SEARCH INITIATED 10:15:19 FILE 'REGISTRY'
FULL SCREEN SEARCH COMPLETED -      121 TO ITERATE

100.0% PROCESSED      121 ITERATIONS                                 8 ANSWERS
SEARCH TIME: 00.00.01

L3            8 SEA SSS FUL L1

=> fil caplus
COST IN U.S. DOLLARS                                SINCE FILE      TOTAL
                                                       ENTRY    SESSION
FULL ESTIMATED COST                                   191.54     191.76
```

```
FILE 'CAPLUS' ENTERED AT 10:15:21 ON 19 MAY 2010
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2010 AMERICAN CHEMICAL SOCIETY (ACS)
```


```
Copyright of the articles to which records in this database refer is
held by the publishers listed in the PUBLISHER (PB) field (available
for records published or updated in Chemical Abstracts after December
26, 1996), unless otherwise indicated in the original publications.
The CA Lexicon is the copyrighted intellectual property of the
American Chemical Society and is provided to assist you in searching
databases on STN.  Any dissemination, distribution, copying, or storing
of this information, without the prior written consent of CAS, is
strictly prohibited.
```


```
FILE COVERS 1907 - 19 May 2010  VOL 152 ISS 21
FILE LAST UPDATED: 18 May 2010  (20100518/ED)
REVISED CLASS FIELDS (/NCL) LAST RELOADED:  Apr 2010
USPTO MANUAL OF CLASSIFICATIONS THESAURUS ISSUE DATE:  Apr 2010

CAplus now includes complete International Patent Classification (IPC)
reclassification data for the second quarter of 2010.

CAS Information Use Policies apply and are available at:

http://www.cas.org/legal/infopolicy.html

This file contains CAS Registry Numbers for easy and accurate
substance identification.

=> s l3
L4           1 L3

=> d ibib abs hitstr tto
'TTO' IS NOT A VALID FORMAT FOR FILE 'CAPLUS'

The following are valid formats:

ABS --------- GI and AB
ALL --------- BIB, AB, IND, RE
APPS -------- AI, PRAI
BIB --------- AN, plus Bibliographic Data and PI table (default)
CAN --------- List of CA abstract numbers without answer numbers
CBIB -------- AN, plus Compressed Bibliographic Data
CLASS ------- IPC, NCL, ECLA, FTERM
DALL -------- ALL, delimited (end of each field identified)
DMAX -------- MAX, delimited for post-processing
FAM --------- AN, PI and PRAI in table, plus Patent Family data
FBIB -------- AN, BIB, plus Patent FAM
IND --------- Indexing data
IPC --------- International Patent Classifications
MAX --------- ALL, plus Patent FAM, RE
PATS -------- PI, SO
SAM --------- CC, SX, TI, ST, IT
SCAN -------- CC, SX, TI, ST, IT (random display, no answer numbers;
              SCAN must be entered on the same line as the DISPLAY,
              e.g., D SCAN or DISPLAY SCAN)
STD --------- BIB, CLASS

IABS -------- ABS, indented with text labels
```

```
IALL -------- ALL, indented with text labels
IBIB -------- BIB, indented with text labels
IMAX -------- MAX, indented with text labels
ISTD -------- STD, indented with text labels

OBIB -------- AN, plus Bibliographic Data (original)
OIBIB ------- OBIB, indented with text labels

SBIB -------- BIB, no citations
SIBIB ------- IBIB, no citations

HIT --------- Fields containing hit terms
HITIND ------ IC, ICA, ICI, NCL, CC and index field (ST and IT)
              containing hit terms
HITRN ------- HIT RN and its text modification
HITSTR ------ HIT RN, its text modification, its CA index name, and
              its structure diagram
HITSEQ ------ HIT RN, its text modification, its CA index name, its
              structure diagram, plus NTE and SEQ fields
FHITSTR ----- First HIT RN, its text modification, its CA index name, and
              its structure diagram
FHITSEQ ----- First HIT RN, its text modification, its CA index name, its
              structure diagram, plus NTE and SEQ fields
KWIC -------- Hit term plus 20 words on either side
OCC --------- Number of occurrence of hit term and field in which it occurs

To display a particular field or fields, enter the display field
codes.  For a list of the display field codes, enter HELP DFIELDS at
an arrow prompt (=>).  Examples of formats include: TI; TI,AU; BIB,ST;
TI,IND; TI,SO.  You may specify the format fields in any order and the
information will be displayed in the same order as the format
specification.

All of the formats (except for SAM, SCAN, HIT, HITIND, HITRN, HITSTR,
FHITSTR, HITSEQ, FHITSEQ, KWIC, and OCC) may be used with DISPLAY ACC
to view a specified Accession Number.
ENTER DISPLAY FORMAT (BIB):end

=> d ibib abs hitstr tot
```

L4 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2010 ACS on STN
ACCESSION NUMBER: 2005:913739 CAPLUS
DOCUMENT NUMBER: 143:229863
TITLE: A manufacturing of (triazolylmethyl)indole derivatives
and their intermediates
INVENTOR(S): Martin, Pierre; Berens, Ulrich; Boudier, Andreas; Daanenbach, Oliver
PATENT ASSIGNEE(S): Ratiopharm G.m.b.H., Germany
SOURCE: PCT Int. Appl., 67 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2005091542	A1	20050929	WO 2005-EP793	20050127
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW
RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG
CA 2557652	A1	20050929	CA 2005-2557652	20050127
EP 1751124	A1	20070214	EP 2005-707035	20050127
EP 1751124	B1	20100324		
R: AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LI, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR				
AU 4619114	T	20100415	AT 2005-707035	20050127
IN 2006DN02783	A	20070824	IN 2006-DN2783	20060711
US 20070123713	A1	20070531	US 2006-584958	20061128
PRIORITY APPLN. INFO.:			EP 2004-100303	A 20040128
			US 2004-543643P	P 20040210
			WO 2005-EP793	W 20050127

ASSIGNMENT HISTORY FOR US PATENT AVAILABLE IN LSUS DISPLAY FORMAT
CITED SOURCE(S): CASREACT 143:229863; MARPAT 143:229863
GI

L4 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2010 ACS on STN (Continued)



AB The invention relates to a preparation of (triazolylmethyl)indole deriv. of formula I [wherein: R1 and R2 are independently H or alkyl] and their intermediates. For instance, anti-migraine agent rizatriptan I [R1 = R2 = Me; no biol. data] was prepared from [(hydrazinomethyl)indolyl]ethyl]-dimethyl-amine II with a yield of 55%.

IT 862703-17-1P 862703-26-2P 862703-27-3P
862703-28-4P 862703-29-5P 862703-30-8P
862703-31-9P
RL: IMF (Industrial manufacture); RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
(manufacturing of (triazolylmethyl)indole derivs. and their intermediates)

RN 862703-17-1 CAPLUS
CN 1H-Indole-3-ethanamine, 5-(hydrazinylmethyl)-N,N-dimethyl- (CA INDEX NAME)



RN 862703-26-2 CAPLUS
CN Hydrazinecarboxaldehyde, 2-[[3-[2-(dimethylamino)ethyl]-1H-indol-5-yl]methyl]- (9CI) (CA INDEX NAME)



L4 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2010 ACS on STN (Continued)

RN 862703-27-3 CAPLUS
CN Hydrazinecarboxylic acid, 2-[[3-[2-(dimethylamino)ethyl]-1H-indol-5-yl]methyl]-, methyl ester (CA INDEX NAME)



RN 862703-28-4 CAPLUS
CN Hydrazinecarboxylic acid, 2-[[3-[2-(dimethylamino)ethyl]-1H-indol-5-yl]methyl]-, 2-methylpropyl ester (CA INDEX NAME)



RN 862703-29-5 CAPLUS
CN Hydrazinecarboxylic acid, 2-[[3-[2-(dimethylamino)ethyl]-1H-indol-5-yl]methyl]-, 3,3-dimethylethyl ester (CA INDEX NAME)

RN 862703-30-8 CAPLUS
CN Hydrazinecarboxylic acid, 2-[[3-[2-(dimethylamino)ethyl]-1H-indol-5-yl]methyl]-, methyl ester, hydrochloride (1:1) (CA INDEX NAME)

● HCl

RN 862703-31-9 CAPLUS
CN Hydrazinecarboxaldehyde, 2-[[3-[2-(dimethylamino)ethyl]-1H-indol-5-yl]methyl]-, dihydrochloride (9CI) (CA INDEX NAME)

L4 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2010 ACS on STN (Continued)

● 2 HCl

IT 862703-16-0P
RL: SPN (Synthetic preparation); PREP (Preparation)
(manufacturing of (triazolylmethyl)indole derivs. and their intermediates)

RN 862703-16-0 CAPLUS
CN Acetic acid,
2-[[3-[2-(dimethylamino)ethyl]-1H-indol-5-yl]methyl]hydraide
(CA INDEX NAME)

OS.CITING REF COUNT: 1 THERE ARE 1 CAPLUS RECORDS THAT CITE THIS RECORD
(1 CITINGS)
REFERENCE COUNT: 5 THERE ARE 5 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

=> log y

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	6.31	198.07

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE ENTRY	TOTAL SESSION
CA SUBSCRIBER PRICE	-0.85	-0.85

STN INTERNATIONAL LOGOFF AT 10:15:40 ON 19 MAY 2010